

Nutrazu® Monkey Crunch 20

50L3

Description

Nutrazu® Monkey Crunch 20 is a highly palatable, crunchy treat formulated for dietary enrichment. Monkey Crunch is nutritionally balanced, to ensure that the primates are receiving all of the necessary nutritional components.

Features and Benefits

- Very high palatability - Animals readily consume the product.
- Crisp, crunch texture - A texture preferred by many animals.
- Complete diet - Supplementation with vitamins and minerals is not necessary if fed within 180 days of manufacture.

Product Form

- Biscuit: 1" square, 3/4" thick. 10 kg. net weight paper sack.

Guaranteed Analysis

Crude protein not less than	20.0%
Crude fat not less than	5.0%
Crude fibre not more than	2.5%
Ash not more than	6.0%

Ingredients

Ground corn, dehulled soybean meal, ground wheat, sucrose, wheat germ, dried egg product, soybean oil, calcium carbonate, flaxseed, brewers dried yeast, dicalcium phosphate, monocalcium phosphate, salt, l-ascorbyl-2-polyphosphate (vitamin C), menadione dimethylpyrimidinol bisulfite (vitamin K), pyridoxine hydrochloride, DL-methionine, choline chloride, folic acid, cholecalciferol (vitamin D₃), tocopherols (a preservative), vitamin A acetate, d-alpha tocopheryl acetate (natural source vitamin E), biotin, calcium pantothenate, thiamin mononitrate, ferrous sulfate, vitamin B₁₂ supplement, nicotinic acid, riboflavin, zinc oxide, manganous oxide, ferrous carbonate, copper sulfate, zinc sulfate, calcium iodate, cobalt carbonate, sodium selenite.

Feeding Directions

Nutrazu® Monkey Crunch 20 should be fed within 180 days of manufacture. Product stored beyond 180 days of age is nutritionally adequate except for vitamin C, if in good condition and can be used for an additional 180 days if a supplemental source of vitamin C is provided with the ration. The date of product manufacture is found at the bottom of the back of the bag.

Primates generally consume about 2 to 4 percent of their body weight in food each day. A guide for consumption would be 50-60 g/5 kg body weight per day. A male gorilla may eat as much as 1 kg per day, while the chimpanzee may only consume 100-200 g/day.

(Continued on Back)

(Continued from Front)

Nutrazu® Monkey Crunch 20 may be soaked in a fruit juice to soften the biscuits for infants or animals that have difficulty chewing. Fruit juice is recommended because soaking the biscuits in water or milk more rapidly deteriorates the vitamin C. The use of fruits, vegetables or other supplements is optional but not necessary.

IMPORTANT: A feeding program is only as effective as the management practices followed.

CAUTION: Store in a dry, well ventilated area, free of pests and insects. Do not use moldy or insect-infested feed.

Approximate Nutrient Composition

NUTRIENTS

Protein, %	20.4
Arginine, %	1.27
Cystine, %	0.33
Glycine, %	0.78
Histidine, %	0.48
Isoleucine, %	1.08
Leucine, %	1.61
Lysine, %	1.17
Methionine, %	0.44
Phenylalanine, %	0.96
Tyrosine, %	0.59
Threonine, %	0.78
Tryptophan, %	0.27
Valine, %	1.07
Fat (ether extract), %	6.2
Fat (acid hydrolysis), %	6.0
Fibre (Crude), %	2.0
Neutral Detergent Fibre, %	9.0
Acid Detergent Fibre, %	2.8
Nitrogen-Free Extract (by difference), %	55.5
Metabolisable Energy, kcal/g	3.50

Quality Controlled by PMI Nutrition International, a subsidiary of America's oldest and largest animal nutrition company.

MINERALS

Ash, %	5.7
Calcium, %	0.90
Phosphorus, %	0.60
Phosphorus (non-phytate), %	0.35
Potassium, %	0.77
Magnesium, %	0.15
Sulfur, %	0.23
Sodium, %	0.33
Chlorine, %	0.54
Iron, ppm	290
Zinc, ppm	110
Manganese, ppm	100
Copper, ppm	14
Cobalt, ppm	0.53
Iodine, ppm	1.4
Chromium, ppm	1.2
Selenium, ppm	0.25

VITAMINS

Vitamin K (as menadione), ppm	3.0
Thiamin Hydrochloride, ppm	18
Riboflavin, ppm	8.8
Niacin, ppm	110
Pantothenic Acid, ppm	63
Choline Chloride, ppm	1,800
Folic Acid, ppm	15
Pyridoxine, ppm	12
Biotin, ppm	0.52
Vitamin B ₁₂ , mcg/kg	66
Vitamin A, IU/gm	25
Vitamin D ₃ (added), IU/gm	5.1
Vitamin E, IU/kg	160
Ascorbic Acid, ppm	525